M. A. R. 57 (Rule 116)
Measurement Book

No. B 355471

Serial No. 1st and final Bill

Name of Work ..... From ..... To .....

Name of Contractor of nature of Agency M/s Soorya Creators, Prop- P. Hemanth.

Date of commencement of work D.o. Recording 30-10-2024

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Name of work :-	Maintenance of Roads in Ward No. 06.					
	Estimated Cost :-	Rs 2.55 Lakhs.					
	Head of A/c :-	P 3294. 14th finance. Comm. Grant.					
	DB. No :-	006. 20. 0002000					
	Work order no :-	BBMP/EE/BTP/WO/207/2020-24 Dt. 08-03-2024					
	Date of commencement	08.03.2024					
	Date of completion	30-10-2024					

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement No.
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	(1) Earthwork in excavation for foundation of structure like culverts, retaining walls etc as per drawing and Technical specifications, including setting out, constructional shoring and bracing, dressing of sides and bottom, back filling with approved materials, disposal of balance earth as per specifications, etc.						

M. A. R. 57 (Rule 116)
Measurement Book

No. B 355472

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	mechanically consisted, placed in foundations and compacted by ribbons etc complete as per specifications.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Remarks
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	Well Compacted for walls and bottom including Centering, shuttering Casting materials, Mixing machinery curing etc Complete						
Billing	H'Nagaw. UPHC sump	1	2.90	2.90	0.15	1.26 y^3	
	DWCC sump.	1	2.90	2.90	0.15	1.26	
	UPHC. Slab-sump	1	2.50	2.50	0.15	0.94	
	DWCC. Slab-sump	1	2.50	2.50	0.15	0.94	
						4.40 y^3	
	deducting	2	0.60	0.60	0.15	0.11	
					Net.	4.29 y^3	
					@ 2910.00/y^3		2063

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

N 55473

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4) Providg and Constructing burnt brick masonry with approved quality of non-modular bricks of standard size of class designation 5.0 newton/sqmm (table moulded) with cm 1:6 for basement and superstructure including curing materials, labour, Charges dewatering, complete as per specification Ground floor Supply work Office	4x1	2.50	0.23	3.20	5.06	63199.40
		4x1	2.50	0.23	2.20	5.01	
						10.124	
						@6245/43	

Scanned by CamScanner

Date	Full description, etc, of work	Dimensions				Contents
		Number	Length	Breadth	Depth	
1	2	3	4	5	6	7
5)	Providing 20mm thick cement plaster in single coat with C.M 1:6 to stone masonry and concrete surface in sump rounding off corners wherever required. smooth Rendering					
	plastering sump inside					
	(a) upper inside	4	2.50	-	2.20	22.00 m²
	(b) bottom	4	2.50	-	2.20	22.00
	floor	1	2.50	2.50	-	6.25
		1	2.50	2.50	-	6.25
						56.50 m²
					e	25 rs/m²
(b)	Providing 18mm thick cement	plaster in single coat with				

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 355474

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C.M.I/b in brick masonry including rounding off corners, wherever required smooth Rendering.						
	Sump	1	3.00	3.00		9.00	
		1	3.00	3.00		9.00	
						18.00 m²	
	ded	2	0.60	0.60		0.72	
					@ 245/m²	17.28 m²	4233.60
	(1) Providing and removing centering, shuttering, struting, propping etc and removing form work for foundation, footings, bases of columns &c. mass concrete including cutting materials, labour complete						

Qty as per this MB. It no. (1)

Reference to last Measurement 8

1.00

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Remarks
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
		Prd no. 355492	1250	y^2 @ 258	/y^2	3225.0	
8)	Providing two. steel reinforcement for RCC work including straightening, cutting, bending, hooking, placing in position, lapping and or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design						
		qty as per this M.B. p.no. 355492					
		It no (b)	0.247	m.c	@ 6580	/m^3	1574.2
9)	Supplying and fixing pressed steel door frame of size						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

355475

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	1250×650 mm manufactured from 1.20 mm thick Cold rolled steel sheets pressed to shape with marked bends of 90° for door openings of shutters made out of required steel, Styles of 50 mm thick with bottle rails of 150 mm, Middle top and bottom rails of 100 mm etc. complete as per design and drawing						
	for shutters	1×2	0.60	0.60	=	0.72 m² @ 3210/m²	2311.20
	(a) Providing and fixing Cold Rolled prepainted steel windows of IS standards, made out of 0.6 mm thick deep drawing quality galvanised on both sides 120 gm/m², power						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Remarks
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	Coat upto 5 microns with thermosetting epoxy resin of binary pack with a polyester based paint 20 microns thick etc.	2	0.60	0.60	= 0.72 m^2 @ 498/42		358.56
11)	Providing and applying two coats of White oil bound washable distemper of approved brand and shade on Wall surface including primer coat with distemper after thoroughly brooming the surface etc	not operated					—

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 355476

Serial No. ..... From..... To.....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	12) Providing and finishing external walls in two coats with water proof cement paint of approved brand and shade to give any even shade after thoroughly brooming the surface to Remove any dust and loose powdered material.						
					not-operated	—	—
	13) providing and fixing	Chorinated poly vinyl Chloride pipes					

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	Confirming to IS.15778, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings including fixing the pipe with clamps at 1.00 mtr. spacing.						
	for drinking tap	1	12.00	–	–	12.00 mtrs	
	for DWCL. sump	1	12.00	–	–	12.00	
						24.00 mtrs	
						@ 196.00/m.	4704.00
(4)	Supplying Water storage tanks made of low density polymers (LLDP) with 2 layers outer black or blue and inner white layers of approved quality and make, confirming to IS / ISO specifications						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

355477

Serial No. ..... From..... To.....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	W. tank. Upto	1	500L	-	-	500L	
	Dtd	1	500L	-	-	500L	
						1000L	4240.00
						@ 4.24/Ltr.	
	Providg and fixing in position brass bib cock of approved quality 25mm nominal bore including costg of all materials, labour, and fixing equipments with all leads complete						
	dtd	4 Nos. @ 236/each -				Rs.	1180.00
							944.00
	1) Submersible single phase 5HP/3.7) 5 stage Water sumpset pump						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	Upto and Incl	2 Nos	@ 9250/ Rft.			Rs.	18,500.00
	Verified					Total Rs	18590.00
			Add Extra 12%				2091.00
						Grand Total	20331.00
						(-)	1723.00
							20608.00
							20600/-

30/10/2024

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

30/10/2024

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು

Serial No. .....
Name of Work .....
Name of Contractor o
Date of commenceme

Date	Full descr
1	

Scanned by CamScanner

M. A. R. 57 (Rule 116)

Measurement Book

No. B

355478

No. .....

of Work ..... From..... To.....

of Contractor of nature of Agency .....

f commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8



Scanned by CamScanner

15th Final

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents
		Number	Length	Breadth	Depth	
1	P3294 2	3	4	5	6	7
	ಕಛೇರಿಗೆ 14th Finance Commission Works ರದಿ		TTB	201600		
	ಎಷ್ಟು ಮೊಬಲಗು ರೂ. 201600/- ಗಳನ್ನು ಪಾಸು ಮಾಡಿದೆ		It	2016		
	ಇದರಲ್ಲಿ ರೂ. 12300/- ಗಳನ್ನು ಹೊಂದಾಣಿಕೆ		CGST	1800		
	ಮಾಡಿಕೊಂಡು ಬಿಡಿ. 189300/- ಗಳನ್ನು		SGST	1800		
			Cess	2016		
			CBF	202		
			LR	3036		
			Fine	1430		
			Ded.	12300		
			Cheque	189300		

FT/NDFT/RTGS ಮುಖಾಂತರ ನೀಡಲಾಗಿದೆ

ವಿಷಯ ನಿರ್ವಾಹಕರು — ಲೆಕ್ಕಾಧಿಕಾರಿ, ಪ್ರಾಥಮಿಕ ಶಿಕ್ಷಣ ಇಲಾಖೆ, ಬೆಂ.ಮಾ. ಬೆಂಗಳೂರು — 21/11

ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು, ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ, ಬೆ.ಮ.ಪಾ. ಬೆಂಗಳೂರು

Scanned by CamScanner